Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S32	100	(data near2 fifo) with (prior or before) with (address or pointer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/31 14:04
S33		S32 and (@ad<"20031006")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 14:04
S34	18	read\$3 near2 (data near2 fifo) with (prior or before) with (address or pointer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/31 14:04
S35	17	S34 and (@ad<"20031006")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR.	ON	2006/10/31 14:24
S36	15	prefetching near2 fifo	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/31 14:24
S37	15	S36 and (@ad<"20031006")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 14:46
S38	161	(apply\$3 or provid\$3 or send\$3 or tramit\$4 or transfer\$3) with (address or pointer) with (earlier or prior or before) near2 cycle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/10/31 14:44
S39	2	(apply\$3 or provid\$3 or send\$3 or tramit\$4 or transfer\$3) with (address or pointer) with (earlier or prior or before) near2 cycle with fifo	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 14:46

			_			
S40	113	(apply\$3 or provid\$3 or send\$3 or tramit\$4 or transfer\$3) with (address or pointer) with (earlier or prior or before) with fifo	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 14:56
S41	105	S40 and (@ad<"20031006")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 14:46
S42	12	(apply\$3 or provid\$3 or send\$3 or tramit\$4 or transfer\$3) near5 (address or pointer) near5 (earlier or prior or before) near5 fifo	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 14:56
S43	11	S41 and S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 14:57
S44	470	710/57.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2006/11/01 08:58
S45	262	S44 and fifo	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 08:58
S46	254	S45 and (@ad<"20031006")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 09:05
S47	66258	next near5 (address or pointer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 09:06

S48	96	S46 and S47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/11/01 09:00
S49	444	S44 and (@ad<"20031006")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 11:10
S50	139	S49 and (next near5 (address or pointer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 09:08
S51	33	S49 and (next with (fifo near5 (address or pointer)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/11/01 11:10
S52	1889	select\$3 near2 fifo	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/01 11:09
S53	382	S52 and (next with (fifo near5 (address or pointer)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 11:10
S54	277	S53 and (@ad<"20031006")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 11:10
S55	52	S54 and "711"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/11/01 11:11

S56	7	johnson-neil.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/11 08:47
S57	1	neil-johnson.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/11 08:47